


SELPHY CP1200

COMPACT PHOTO PRINTER

Lab quality wireless photo printing from smart devices

Effortlessly release memories from your smartphone, with superb quality prints that will last a lifetime, using the most stylish SELPHY yet. A small, elegant and portable Wi-Fi photo printer that's easy for anyone to use.



- Fast wireless photo printing from smart devices with Canon PRINT Inkjet/SELPHY app, Apple AirPrint support and Wi-Fi Button
- See the quality of dye sublimation for vibrant, durable lab-quality photos in less than one minute
- Enhance your memories in creative ways and print ID photos in a wide range of accepted sizes
- Stylish, ultra compact and portable design for photo printing anywhere
- Prints are protected against splashes, spills and fading for up to 100 years when stored in an album

Product Range



SELPHY CP1200



SELPHY CP1000

SELPHY CP1200
SELPHY CP1000

SELPHY CP1200

COMPACT PHOTO PRINTER

Technical Specifications

PRINTING SYSTEM

Method	Dye-sublimation thermal transfer printing system
Maximum Resolution	300 x 300 dpi
Colours	3 colour inks with protective over coating, 256 levels per colour (24 bit colour depth)

MEDIA & CARTRIDGE

Postcard Size	148 x 100 mm - KP-36IP, KP-108IN, RP-108, RP-1080V
Credit Card Size	86 x 54 mm - (KC-36IP) ⁽²⁾
Credit Card Size Stickers	86 x 54 mm - (KC-18IF) ⁽²⁾
Square Stickers	50 x 50 mm - (KC-18IS) ⁽²⁾
Mini Stickers	22.0 x 17.3 mm (x8 stickers on one sheet) - (KC-18IL) ⁽²⁾
Ink Cartridge	Included with media
Image Longevity	100 Years Print ⁽³⁾

MEDIA INPUT

Sheet Feeder	Auto feed from paper cassette
---------------------	-------------------------------

PRINT SPEEDS

Postcard Size	approx. 47 sec ⁽¹⁴⁾
Credit Card Size	approx. 27 sec ⁽¹⁴⁾
Credit Card Size Stickers	approx. 27 sec ⁽¹⁴⁾
Mini Stickers	approx. 27 sec ⁽¹⁴⁾

PRINTING

Print Modes	Select & Print (Selection of individual images and number of copies for batch printing), All image print (Selection of all images and number of copies for batch printing), DPOF Image Print, Reprinting, ID Photo Print (Standard / Custom / Dual), ID Photo Priority, Keep Print Settings, Auto Power Down
Print Settings	Print finish: Glossy, Semi-Gloss (Pattern 1 / Pattern 2 / Pattern 3)

Image layout:
Borders (Bordered / Borderless), Page Layout (1 / 2 / 4 / 8 images per page, 2 images per page fixed size (Background (White / Black) / Center), Index, Shuffle (8 / 20 images per page / Orientation (Landscape / Portrait) / Background (White / Black))

Image manipulation:
Image Optimize, Brightness (7 levels, from -3 to +3), Colour Adjustment (7 levels (C-R) x 7 levels (Y - B)), Smooth Skin, My Colors (Vivid / Neutral / Positive Film / Sepia / B/W / Off), Red-eye Correction, Date (Prominent / Subtle / Off), Date Format, File Number (Prominent / Subtle / Off), Cropping

PRINT METHOD

Direct Printing From a Camera	PictBridge compliant (USB and Wireless LAN)
Direct From a Memory Card	Supported card types: SD, SDHC, SDXC USB Flash Memory ⁽¹³⁾ Supported via Adapter ⁽⁷⁾ : miniSD, miniSDHC, microSD, microSDHC, microSDXC
Direct From a Camera Phone	Compatible with smartphones, tablets and portable devices via Wi-Fi (Direct or Infrastructure connection) ⁽¹⁵⁾⁽¹⁶⁾ iOS devices - using Canon PRINT Inkjet/SELPHY app & Apple AirPrint Android devices- using Canon PRINT Inkjet/SELPHY app & direct printing via Canon PRINT Service plugin Windows RT devices - using Canon Easy PhotoPrint app
Print From a Computer	Kindle Fire OS devices - Direct printing via Canon Print Plugin Yes, requires standard USB cable or compatible Wi-Fi connection.

INTERFACE

Camera	USB type A port on printer, Wi-Fi (PictBridge via WLAN - DPS over IP compatible)
Computer	USB mini-B port on printer, Wi-Fi (IEEE802.11 b/g)
LCD Monitor	6.8 cm (2.7") Colour TFT viewer with multi-language user interface and tilt mechanism (Languages: English, German, French, Italian, Spanish, Russian, Simplified Chinese, Korean, Thai, Hindi, Vietnamese, Malaysian, Japanese, Portuguese, Turkish, Arabic)

SUPPORTED OPERATING SYSTEM

PC	USB connection: Windows 8.1 / 8 / 7 SP1 Wi-Fi connection: Windows 8.1 / 8 / 7 SP1 Compatible with Apple OS via AirPrint ⁽¹⁶⁾
Macintosh	

SOFTWARE

Drivers	Windows
----------------	---------

POWER SOURCE

AC Power Supply	Yes, supplied
Battery Pack	Yes, optional NB-CP2LH (Approx. 54 Postcard size prints per full charge)
Power Consumption	Approx. 4W (standby), approx. 60W (printing)

ACCESSORIES

Case	Print on-the-go Bag DCC-CP3 CP Printer Carrying Case DCC-CP2 Card Size Paper Cassette PCC-CP400 AC Adapter CA-CP200B
Paper Cassette	
Power Supply & Battery Chargers	

PHYSICAL SPECIFICATIONS

Operating Environment	5 - 40 °C, 20 - 80 % humidity
Dimensions	180.6 mm x 135.9 mm x 63.3 mm (printer only without protrusions)
Weight	860 g (Excluding Ink Cartridge and Paper Cassette)

⁽²⁾ Requires optional paper cassette PCC-CP400

⁽³⁾ To test the image permanence of prints that are stored in an album, we use an accelerated testing method similar to how the image permanence of silver-halide photo papers are measured when stored in dark places. Print samples are printed with the optical density of 1.0 (each Bk, C, M, Y). The samples are kept in a certain environment of high temperature and 50% humidity. The rate of the decrease in the optical density and rate of yellow discoloration are recorded. The recorded results are then converted to the length of time when print image is kept in an environment of 23°C/50% humidity. <Criteria for estimation of print longevity> The point where monochromatic/reflective optical density shows loss of 30% (starting density of 1.0).

⁽⁴⁾ Print speed can vary dependent on data size, print method, memory card and capacity and is measured from start of printing excluding paper handling

⁽⁵⁾ Modes/features available may differ dependent on camera model or use of memory card to print

⁽⁷⁾ Requires adapter (sold separately)

⁽¹³⁾ Irregularly sized images, or images that have been edited on a computer may not display or print. USB Devices that are not identified as "Removable media" (such as external hard drives) or do not use the FAT or exFAT file system or have GUID partition tables created on a Macintosh computer are not supported.

⁽¹⁴⁾ Print speed can vary dependent on data size, print method, print finish setting, memory card type and capacity. Print speed is measured from start of printing excluding paper handling

⁽¹⁵⁾ Compatibility of Canon applications varies depending on your smart device model and operating system. For latest compatibility please refer to the app store on your smart device.

⁽¹⁶⁾ For more compatibility information about Apple AirPrint on your Apple computer/ smart device, please refer to <https://support.apple.com/en-gb/HT201311>

All data is based on Canon's standard testing methods.
Subject to change without notice.

SELPHY CP1200

COMPACT PHOTO PRINTER

Lab quality wireless photo printing from smart devices

Effortlessly release memories from your smartphone, with superb quality prints that will last a lifetime, using the most stylish SELPHY yet. A small, elegant and portable Wi-Fi photo printer that's easy for anyone to use.

Sales Start Date: February 2016



Product Details:

Product name	Mercury Code	EAN Code	Recommended Retail Price
SELPHY CP1200 white	0600C002	4549292038552	CHF 148.00
SELPHY CP1200 black	0599C002	4549292038514	CHF 148.00

Optional Accessories:

Product name	Mercury Code	EAN Code	Recommended Retail Price
PAPER CASSETTE (TRAY)			
Paper Cassette PCC-CP400 (Credit card size)	6202B001	4960999846941	CHF 28.00
COLOUR INK/PAPER SET			
Colour Ink/Paper Set RP-108 (Postcard size)	8568B001	4960999980034	CHF 39.90
Colour Ink/Paper Set KP-108IN (Postcard size)	3115B001	4960999616889	CHF 39.90
Colour Ink/Paper Set KP-36IP (Postcard size)	7737A001	4960999047034	CHF 16.90
Colour Ink/Paper Set KC-36IP (Credit card size)	7739A001	4960999047058	CHF 13.90
Colour Ink/Paper Set KC-18IF (Card size sticker)	7741A001	4960999047072	CHF 13.90
Colour Ink/Paper Set KC-18IL (Card size, 8 labels/page)	7740A001	4960999047065	CHF 13.90
Colour Ink/Paper Set KC-18IS (Card size, square label)	7429B001	4960999922171	CHF 13.90
POWER SUPPLIES			
Charger Adapter CG-CP200	6203B001	4960999905723	CHF 128.00
Battery Pack NB-CP2LH (NEW)	0749C001	4549292045055	CHF 58.00
Battery Pack NB-CP2L	0188B001	4960999258980	CHF 98.00
MISCELLANEOUS			
Carrying Case DCC-CP2 Beige	0030X597	8714574532271	CHF 48.00
Carrying Case DCC-CP2 Grey	0035X550	8714574577135	CHF 48.00
Carrying Case DCC-CP3 Black	0039X580	8714574617275	CHF 78.00

SELPHY CP1200

COMPACT PHOTO PRINTER

Lab quality wireless photo printing from smart devices

Effortlessly release memories from your smartphone, with superb quality prints that will last a lifetime, using the most stylish SELPHY yet. A small, elegant and portable Wi-Fi photo printer that's easy for anyone to use.



Measurement / Logistic Information:

Product name	Mercury Code	Pack type	Pack Description	Quantity	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
COMPACT PRINTER SELPHY CP1200 WH EU17 COMPACT PRINTER SELPHY CP1200 BK EU17	0600C002AA 0599C002AA	EA	Each	1	250	220	136	1.735
		CT	Carton	6	460	429	309	11.46
		EP	Euro pallet	36	1200	800	1077	79
			Layers per Pallet	3				
			Cartons per Layer	2				
			Products per layer	12				
NB-CP2LH	0749C001AA	EA	Each	1	143	56	52	0.285
		CT	Carton	30	306	283	233	9.55
		EP	Euro pallet	960	1200	800	1082	311
			Layers per Pallet	4				
			Cartons per Layer	8				
			Products per layer	240				

What's in the box?

- SELPHY CP1200
- Paper Cassette PCP-CP400 (Postcard size)
- Compact Power Adapter CA-CP200 B
- AC Cable
- User Manual Kit