


PIXMA TS5050

Small and stylish: meet the perfect All-In-One home colour Wi-Fi printer.

High-quality colour printing from the comfort of your own home, with scan and copy functions, Wi-Fi, cloud connectivity and an easy-to-use 7.5 cm (3") LCD display – all contained within a compact, space-saving body.



- Compact home printer, copier and scanner – versatile and affordable
- Quick and easy interface with adjustable panel and 7.5 cm (3") LCD display
- Space-saving design
- Wi-Fi for easy printing and scanning from your devices, plus cloud connectivity via PIXMA Cloud Link*
- Supports Apple AirPrint™, Mopria™, Google Cloud Print™, Windows 10 Mobile™ and the Canon PRINT app
- Fast printing at 12.6 ipm mono, 9 ipm colour
- Delivers high-quality borderless 10 cm x 15 cm (4" x 6") photos in just 39 secs
- 5 individual inks for enhanced print quality – optional larger capacity XL ink cartridges available
- Support for 13 cm x 13 cm (5" x 5") square photo printing on Canon glossy media
- Print photos directly from an SD card

Product Range



PIXMA TS8050



PIXMA TS6050



PIXMA TS5050

PIXMA TS9050
PIXMA TS8050
PIXMA TS6050
PIXMA TS5050

* PIXMA Cloud Link only available from a smart device.

* Scan to cloud only available for genuine Canon ink users.

Technical Specifications

GENERAL SPECIFICATIONS

Model Numbers

PIXMA TS5050 (BLACK)
PIXMA TS5055 (BLACK)
PIXMA TS5053 (GREY)
PIXMA TS5051 (WHITE)⁽¹³⁾

Functions

Wireless Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800⁽¹⁾ x 1200 dpi

Print Technology

5 Individual Ink Tanks (PGBK, BK, C, M, Y)
Chromalife100 inks

Mono Print Speed

Approx. 12.6 ipm⁽²⁾

Colour Print Speed

Approx. 9.0 ipm⁽²⁾

Photo Print Speed

Borderless 10 cm x 15 cm : Approx. 39 seconds⁽³⁾

Borderless Printing

Yes (A4, Letter, 20 cm x 25 cm, 13 cm x 18 cm,
10 cm x 15 cm, 13 cm x 13 cm)

Two Sided Printing

Manual operation

CARTRIDGES AND YIELDS

Standard Ink Cartridges

5 individual ink tanks
PGI-570PGBK (Pigment Black)
CLI-571BK (Black)
CLI-571C (Cyan)
CLI-571M (Magenta)
CLI-571Y (Yellow)

Optional XL Ink Cartridges

High yield XL ink tanks
PGI-570PGBK XL (Pigment Black)
CLI-571BK XL (Black)
CLI-571C XL (Cyan)
CLI-571M XL (Magenta)
CLI-571Y XL (Yellow)

Cartridge Yield (Plain paper)

A4 Colour Document⁽⁴⁾
Pigment Black: 300 pages
Pigment Black XL: 500 pages
Black: 1795* pages
Black XL: 4000* pages
Cyan: 345 pages
Cyan XL: 715 pages
Magenta: 306 pages
Magenta XL: 645 pages
Yellow: 347 pages
Yellow XL: 715 pages
* Estimated supplemental yield

Cartridge Yield (Photo print)

10 cm x 15 cm photo⁽⁵⁾
Pigment Black: 2145* photos
Pigment Black XL: 4350* photos
Black: 376* photos
Black XL: 810* photos
Cyan: 121 photos
Cyan XL: 257 photos
Magenta: 136 photos
Magenta XL: 340 photos
Yellow: 127 photos
Yellow XL: 294 photos
* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
High Resolution Paper (HR-101N)
Photo Paper Pro Platinum (PT-101)
Photo Paper Plus Glossy II (PP-201)
Photo Paper Pro Luster (LU-101)
Photo Paper Plus Semi-gloss (SG-201)
Glossy Photo Paper "Everyday Use" (GP-501)
Matte Photo Paper (MP-101)
Envelope

Maximum Paper Input

Rear tray: Max. 100 sheets (plain paper)

Paper Sizes

A4 / A5 / B5 / LTR / LGL / 20 cm x 25 cm / 13 cm x 18 cm /
10 cm x 15 cm / Envelopes (DL,COM10) /
Square (13 cm x 13 cm)

Paper Weight

Plain paper: 64 - 105 g/m²
Canon photo paper: up to 300 g/m²

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

1200 x 2400 dpi⁽⁶⁾

A4 Scan Speed

Approx. 19 sec⁽⁷⁾

Scanning Depth (Input / Output)

Colour: 48 bit / 24 bit
Greyscale: 16 bit / 8 bit

Maximum Document Size

216 mm x 297 mm

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 20 sec⁽⁸⁾
sESAT: Approx. 6.0 ipm⁽⁸⁾

Multiple Copy

99 copies max.

Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-on-1
25 - 400% (in 1% increments)

Copy Zoom

Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

7.5 cm LCD (TFT colour)

Display Languages

33 Languages Selectable: Japanese / English (mm & inch) /
German / French / Italian / Spanish / Dutch / Portuguese /
Norwegian / Swedish / Danish / Finnish / Russian / Czech /
Hungarian / Polish / Slovene / Turkish / Greek / Simplified
Chinese / Traditional Chinese / Korean / Indonesian /
Slovakian / Estonian / Latvian / Lithuanian / Ukrainian /
Romanian / Bulgarian / Thai / Croatian / Vietnamese

Interface Type - PC / Mac

Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration
password
Wireless LAN Frequency Band: 2.4GHz

Interface Type - Other

PIXMA Cloud Link (from smartphone or tablet only)
Canon PRINT Inkjet/SELPHY app
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Wi-Fi Direct
Access point mode
WLAN PictBridge
Memory Card Slot
Mopria (Android)

Compatible Memory Cards

SD Card, SDHC Card, miniSD Card*, micro SD Card*, mini
SDHC Card*, micro SDHC Card*
*Using recommended adapter - not supplied

SOFTWARE

Supported Operating Systems

Windows 10
Windows 8.1 (including Windows 8.1 Update), Windows 8
Windows 7, Windows 7 SP1
Windows Vista SP2
Note: For Windows, .NET Framework 4.5.2 or 4.6 is required
Mac OS X v10.8.5 - OS X v10.11

Supported Mobile Systems

iOS, Android, Windows RT, Windows 10 Mobile

Minimum System Requirements

Windows: 3.1 GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
My Image Garden with Full HD Movie Print⁽⁹⁾
Quick Menu
Easy-WebPrint EX (download)⁽¹⁰⁾

Technical Specifications

PHYSICAL FEATURES

Weight	approx. 5.5 kg
Dimensions (W x D x H)	approx. 372 mm x 315 mm x 126 mm
Acoustic Noise Levels	approx. 44.5dB(A) ⁽¹¹⁾
Recommended Operating Environment	Temperature: 15 - 30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Off: Approx. 0.2 W Standby (connected to PC via USB): Approx. 0.8 W (scanning lamp off) Standby (all ports connected): Approx. 1.6 W (scanning lamp is off) Time to enter Standby mode: 12 minutes Copying: Approx. 12 W ⁽¹²⁾

Footnotes

- (1) Ink droplets can be placed with a minimum pitch of 1/4800 inch
- (2) A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- (3) Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- (4) Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- (5) Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- (6) Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the maximum scan size is restricted.
- (7) Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- (8) Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- (9) Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- (10) Easy-WebPrint EX requires Internet Explorer 8 or later
- (11) When printing ISO/JIS-SCID N2 pattern on 10 cm x 15cm Photo Paper Plus Glossy II using default settings.
- (12) When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- (13) Some colours may not be available in your region.

Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

PIXMA TS5050

Small and stylish: meet the perfect All-In-One home colour Wi-Fi printer.

High-quality colour printing from the comfort of your own home, with scan and copy functions, Wi-Fi, cloud connectivity and an easy-to-use 7.5 cm (3") LCD display – all contained within a compact, space-saving body.



Sales Start Date: Nov 2016

Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS5050 BK EUR	1367C006AA	4549292066517	<Please fill in RRP>

Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-570 PGBK	0372C001AA	4549292032918	<Please fill in RRP>
CLI-571 BK	0385C001AA	4549292032932	<Please fill in RRP>
CLI-571 C	0386C001AA	4549292032949	<Please fill in RRP>
CLI-571 M	0387C001AA	4549292032963	<Please fill in RRP>
CLI-571 Y	0388C001AA	4549292032970	<Please fill in RRP>

Optional Ink Consumables:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PGI-570XL PGBK	0318C001AA	4549292032826	<Please fill in RRP>
CLI-571XL BK	0331C001AA	4549292032840	<Please fill in RRP>
CLI-571XL C	0332C001AA	4549292032857	<Please fill in RRP>
CLI-571XL M	0333C001AA	4549292032871	<Please fill in RRP>
CLI-571XL Y	0334C001AA	4549292032888	<Please fill in RRP>
INK CLI-571 C/M/Y/BK MULTI	0386C005AA	8714574631820	<Please fill in RRP>
PGI-570/CLI-571 PGBK/C/M/Y/BK	0372C004AA	8714574631660	<Please fill in RRP>
CLI-571 BK/C/M/Y PHOTO VALUE	0386C006AA	8714574632070	<Please fill in RRP>
CLI-571XL BK/C/M/Y PHOTO VALUE	0332C005AA	8714574632063	<Please fill in RRP>

Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight (kg)
PIXMA TS5050 BK EUR	1367C006AA	EA	Each	1	446	199	454.9	5.4	7.3
		CT	Carton	24	1202	900	914.3	176.6	175.2
		EP	Euro Pallet	36	1202	900	1369.2	264.2	262.8

What's in the box?

- All-In-One printer – PIXMA TS5050 BK EUR
- Setup ink tanks
- Power cord
- Setup CD-ROM & manuals