

PIXMA TS9551C

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR COMPLETE CREATIVITY

Choose PIXMA TS9551C's creative capabilities for a compact A3 All-In-One with 12x12 inch cardstock support, built-in pattern templates, multimedia handling, clever cloud-storage printing and advanced connectivity.



- Compact A3 printer with large touchscreen
- Wireless connectivity with Canon PRINT app
- Effortless access to popular cloud storage via PIXMA Cloud Link
- 5 inks and FINE technology for pristine photos and documents
- Creative Park, pattern templates and a multipurpose tray for arts and crafts



PRODUCT RANGE



PIXMA TS9550

PIXMA TS9550

PIXMA TS9150 Series
PIXMA TS8250 Series
PIXMA TS6250 Series



PIXMA TS9150 Series



PIXMA TS8250 Series

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS9551C

GENERAL SPECIFICATIONS

Model Numbers

PIXMA TS9551C (WHITE) ^[12]

Functions

Wireless / Ethernet, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800 ^[11] x 1200 dpi

Print Technology

6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB)
ChromaLife100 inks

Mono Print Speed

Approx. 15.0 ipm ^[2]

Colour Print Speed

Approx. 10.0 ipm ^[2]

Photo Print Speed

Borderless 10x15cm : Approx. 21 seconds ^[3]

Borderless Printing

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)

Two Sided Printing

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

Direct Disc Printing

Yes

CARTRIDGES AND YIELDS

Standard Ink Cartridges

5 individual ink tanks
PGI-580PGBK (Pigment Black)
CLI-581BK (Black)
CLI-581C (Cyan)
CLI-581M (Magenta)
CLI-581Y (Yellow)

Optional XL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XL (Pigment Black)
CLI-581BK XL (Black)
CLI-581C XL (Cyan)
CLI-581M XL (Magenta)
CLI-581Y XL (Yellow)

Optional XXL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XXL (Pigment Black)
CLI-581BK XXL (Black)
CLI-581C XXL (Cyan)
CLI-581M XXL (Magenta)
CLI-581Y XXL (Yellow)

Ink Tanks Yield (Plain paper)

A4 Colour Document ^[4]
Pigment Black: 200 pages
Pigment Black XL: 400 pages
Pigment Black XXL: 600 pages
Black: 1451* pages
Black XL: 3120* pages
Black XXL: 6360* pages
Cyan: 256 pages
Cyan XL: 515 pages
Cyan XXL: 820 pages
Magenta: 237 pages
Magenta XL: 474 pages
Magenta XXL: 760 pages
Yellow: 257 pages
Yellow XL: 514 pages
Yellow XXL: 824 pages

Ink Tanks Yield (Photo print)

* Estimated supplemental yield
10x15cm photo ^[5]
Pigment Black: 1263* photos
Pigment Black XL: 3373* photos
Pigment Black XXL: 5500* photos
Black: 231* photos
Black XL: 520* photos
Black XXL: 858* photos
Cyan: 83 photos
Cyan XL: 170 photos
Cyan XXL: 282 photos
Magenta: 108 photos
Magenta XL: 225 photos
Magenta XXL: 367 photos
Yellow: 99 photos
Yellow XL: 199 photos
Yellow XXL: 322 photos

* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)
Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)

Envelopes

Other Fine Art Papers

Printable Discs

Removable Photo Stickers (RP-101)

Magnetic Photo Paper (MG-101)

Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)

Front Cassette: Max. 100 sheets (plain paper)

Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

Rear Tray:

A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/30x30cm, Envelopes(DL,COM10)

[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR

[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Maximum Paper Input

Paper Sizes

Paper Weight

Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²

Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type

Flatbed, ADF and CIS colour scanner

Scanner Resolution (Optical)

2400 x 4800 dpi ^[6]

Scanning Depth (Input / Output)

Colour: RGB each 16bit/8bit

Greyscale: 16 bit / 8 bit

Maximum Document Size

Flatbed: A4, LTR (216x297mm)

ADF: A4, LTR, LGL

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 19sec ^[8]

sESAT: Approx. 6.5ipm ^[8]

sESAT ADF: Approx. 8.0 ipm ^[8]

max. 99 pages

Multiple Copy

Copy Functions

Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy

Copy Zoom

25 - 400% (in 1% increments)

Fit to page

A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

10.8cm LCD (TFT colour/Touch)

Display Languages

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS9551C

Automatic Document Feeder Interface Type - PC / Mac

Up to 20 Sheets (1-sided)
Hi-Speed USB (B Port)
Ethernet: 10/100Mbps (auto switchable)
Wi-Fi: IEEE802.11 b/g/n/a
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
Administration password
Wireless LAN Frequency Band: 2.4GHz

Interface Type - Other

Canon PRINT Inkjet/SELPHY app
Bluetooth
Message In Print app
Nail Sticker app
PIXMA Cloud Link
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Wireless Direct
Access Point Mode
LAN/WLAN PictBridge
Memory Card Slot
Mopria (Android)

Compatible Memory Cards

SD Card, SDHC Card, SDXC Card, miniSD Card*,
micro SD Card*
mini SDHC Card*, micro SDHC Card*, microSDXC
Card*

*Using recommended adapter - not supplied

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1
Operation can only be guaranteed on a PC with
pre-installed Windows 7 or later.
OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13

Supported Mobile Systems

iOS, Android, Windows 10 Mobile

Minimum System Requirements

Windows: 3.1GB disk space, Internet Explorer 8
Mac: Internet connection, 1.5GB disk space, Safari 5
Display: 1024 x 768 XGA

Software Included

MP Driver including Scanning Utility
Easy-WebPrint EX (download) ^[9]

PHYSICAL FEATURES

Weight

approx. 9.7kg

Dimensions (W x D x H)

approx. 468 x 366 x 193 mm

Acoustic Noise Levels

approx. 49.5dB(A) ^[11]

Recommended Operating Environment

Temperature: 15-30°C

Power Source

Humidity: 10-80%RH (no dew condensation)

Power Consumption

AC 100-240V, 50/60Hz

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W
(scanning lamp off)

Standby (all ports connected): Approx. 2.0W
(scanning lamp is off)

Time to enter Standby mode: 10min 56sec

Copying: Approx. 14W ^[12]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [9] Easy-WebPrint EX requires Internet Explorer 8 or later
- [10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2018

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR COMPLETE CREATIVITY

PIXMA TS9551C

Choose PIXMA TS9551C's creative capabilities for a compact A3 All-In-One with 12x12 inch cardstock support, built-in pattern templates, multimedia handling, clever cloud-storage printing and advanced connectivity.

Sales Start Date: Nov 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS9551C WH EUR	2988C026AA	4549292117950

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

Live for the story_

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR COMPLETE CREATIVITY

PIXMA TS9551C

Choose PIXMA TS9551C's creative capabilities for a compact A3 All-In-One with 12x12 inch cardstock support, built-in pattern templates, multimedia handling, clever cloud-storage printing and advanced connectivity.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS9551C WH EUR	2988C026AA	EA	Individual	1	550	272.5	484		
			Pallet (Upper)	16	1111	1101	972.5		
			Pallet (Bottom)	16	1111	1101	972.5		

What's in the box?

- All-In-One printer - PIXMA TS9551C
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

Canon

Live for the story_