

Tripod Grip HG-100TBR

SMALL, STABLE, VERSATILE

Capture movies and stills in new dynamic ways using this handheld tripod grip with a wireless remote control for the ultimate in creative versatility.



- Capture videos with fresh creativity
- Explore new angles with one hand operation
- Shoot for longer thanks to great ergonomics
- Extend your reach with a handy remote control
- Works with compatible Canon cameras

Easy to hold

Detachable
BR-E1 remote

Adjustable
camera
mount

Lightweight
design

Compact size

PRODUCT RANGE



Canon Wireless
Remote Control BR-E1

Canon Wireless
Remote Control
BR-E1

**Canon Tripod Grip
HG-100TBR**



**Canon Tripod Grip
HG-100TBR**

Live for the story_

TECHNICAL SPECIFICATIONS

Tripod Grip HG-100TBR

Accessory Type:	Tripod Grip
Material:	Polycarbonate resin (main external parts)
Exterior colour:	Black (available in one colour only)
Tripod screw:	CU 1/4
Camera mount rotation and locking:	The mount rotates 360° left or right and can be locked in the following positions. <ul style="list-style-type: none">• Left: 0°, 90°, 180°, 270°• Right: 0°, 90°, 180°, 270°
Camera mount tilt adjustment and locking:	The mount tilts forward and back and can be locked in the following positions. <ul style="list-style-type: none">• Forward: 15°, 30°, 45°• Back: 15°, 30°, 45°, 60°, 75°, 90° Not exceeding 1 kg ¹
Load capacity:	Not exceeding 1 kg ¹
Battery:	None
Dimensions:	As a grip: Approx. 38.6 (W) x 190.0 (H) x 43.4 (D) mm ² As a tripod: Approx. 172.4 (W) x 148.5 (H) x 174.1 (D) mm ²
Weight:	Body only: Approx. 163 g ² Body and BR-E1: Approx. 179 g ²
Included accessories:	Wireless Remote Control BR-E1 (See detailed specifications below) Wrist strap Microphone attachment L Microphone attachment S
WIRELESS REMOTE CONTROL BR-E1 SPECIFICATIONS	
Accessory Type:	Remote controller
Compliance standards:	Bluetooth Specification Version 4.1 (Bluetooth low energy technology)
Transmission method:	GFSK modulation
Operating distance:	Approx. 5 m from the camera in any direction ³
Power:	Lithium button cell battery CR2032
Battery life:	Approx. one year
Dimensions (W x H x D):	Approx. 27.0 x 91.5 x 12.0 mm
Weight:	Approx. 14 g (excluding battery)
Working temperature range:	0°C - 40°C / 32°F - 104°F
Working humidity:	85% or less

Footnotes

- [1] Total camera mount load capacity for camera, lens, microphone, and other accessories
- [2] Excluding microphone attachment and strap
- [3] With no obstructions between the remote controller and camera and no radio interference

All the data above is based on Canon's testing standards.
The product specifications and exterior are subject to change without notice



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2019

Live for the story_

SMALL, STABLE, VERSATILE

Tripod Grip HG-100TBR

Capture movies and stills in new dynamic ways using this handheld tripod grip with a wireless remote control for the ultimate in creative versatility.

Sales Start Date: Dec 2019 TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
Tripod Grip HG-100TBR	4157C001AA	4549292157956

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
Tripod Grip HG-100TBR	4157C001AA	EA	Each	1	7.5	6.7	20.8	0.291
		CT	Carton	30	43.6	36.1	26.4	9.62
		EP	Euro Pallet	600	120	80	120.6	202
			Layers per Pallet	4				
			Cartons per Layer	5				
			Products per layer	150				

What's in the box?

- Tripod Grip HG-100TBR
- Wireless Remote Control BR-E1
- Wrist strap
- Microphone attachment L
- Microphone attachment S
- Instruction Manual
- Warranty Card

