

PowerShot ZOOM

EXPERIENCE THE MOMENT CATCH ALL THE DETAILS

Get close with this palm-sized 12MP, Full HD camera. With one lens boasting 100mm and 400mm¹ plus a digitally extended 800mm, this tiny fully auto PowerShot is ideal for families who love outdoor adventures, wildlife and for casual birdwatchers.



- A pocket-sized PowerShot that always gets you close
- A sure and steady view. Always
- Uniquely portable. Uniquely discreet
- Instinctive control
- Connect and share your experiences

12.1
MEGA
PIXELS



Movie
FULL HD

ZOOM

USB
Charging

IMAGE
STABILIZER



Wi-Fi
Bluetooth®

PRODUCT RANGE



Canon 10x30 IS II



PowerShot ZOOM



PowerShot SX70 HS

Canon 10x30 IS II
PowerShot ZOOM
PowerShot SX70 HS

¹ Focal lengths mentioned are 35mm equivalents.

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PowerShot **ZOOM**

IMAGE SENSOR			RECORDING		
Effective sensor size:	1/3-inch CMOS		File format		Complies with DCF 2.0 and Exif 2.31
Camera effective pixels:	Max approx. 12.1 megapixels		Recording media		microSD / microSDHC / microSDXC
IMAGE PROCESSOR			DATA TYPE		
Type	DIGIC 8		Still image		JPEG
OPTICS			Movie		MP4
Focal length ^{*1}	100/400mm (35mm format) Digital zoom: x2 (800mm equivalent) W: f/5.6, T: f/6.3 ^{*2}		POWER SOURCE		
F No. (aperture)	11 elements in 8 groups		Power supply		Built-in rechargeable lithium-ion battery
Lens construction	W: 1m / T: 4.5m Yes ^{*3}		USB charging/power supply		Can be charged/powerd with USB Type-C ^{*9}
Minimum Focusing Distance	1.2x / 4.8x / 9.6x (at 100/400/800mm)		BATTERY LIFE		
Image stabilizer (IS) system	24.5° / 6.2° / 3.1° (at 100/400/800mm)		Viewing time		Approx. 70 min.
Magnification	22.6° / 5.7° / 2.8° (at 100/400/800mm)		Number of possible shots		Approx. 150
Real field of view (Stills)	28.6° (at 100/400/800mm)		Movie shooting time		Approx. 60 min.
Real field of view (Movie)	26.4° (at 100/400/800mm)		INTERFACE		
Apparent field of view (Still)	434m / 108m / 54m (at 100/400/800mm)		Computer		USB Type-C ^{*10}
Apparent field of view (Movie)	400m / 100m / 49m (at 100/400/800mm)		Other		Wi-Fi, IEEE802.11b/g/n, 2.4GHz ^{*11} Bluetooth (BLE, V4.2)
1000 m field of view (Still)			OTHER FEATURES		
1000 m field of view (Movie)			Display languages		31 languages
VIEWFINDER			Video system		NTSC/PAL
Type	0.39-inch EVF OLED		Speaker		No
Resolution	2.36 million dots		Microphone		Stereo
Refresh rate	59.94 fps		OPERATING ENVIRONMENT		
Coverage	Approx. 100% ^{*4}		Temperature		0°C - 40°C
Dioptric adjustment	Approx. -3 to +1 m ⁻¹ (dpt)		Humidity		10 - 90 %
Eyepoint	Approx. 22mm		PHYSICAL SPECIFICATIONS		
LCD MONITOR			Dimensions W x H x D		33.4mm x 50.8mm x 103.2mm
Type	Viewfinder only		Weight		Approx. 145 g ^{*12}
FOCUSING			Water/dust-resistance		No
AF Method	Contrast detection (Approx. 100% coverage)		Accessories		Wrist strap, interface cable, and instruction manual
Stills AF operation	One-Shot AF		App		Camera Connect compatible
Movie AF operation	Movie Servo AF		Footnotes:-		
EXPOSURE CONTROL			[1] "3 step zoom", Switchable: 100 → 400 → 800 → 100...		
Metering system	Evaluative metering (384-zone)		[2] Fixed aperture		
Exposure compensation	±3 levels in 1/3-level increments		[3] Equipped with Optical IS control to improve stills and video shooting, and the appearance when using the EVF. (CIPA standard measurement not possible)		
ISO speed (Still/Movie)	AUTO (fixed 100 - 3200)		[4] At eyepoint approx. 22mm		
White balance	AUTO		[5] Electronic shutter; during movie recording the camera use shutter speeds between 1/4000 - 1/30 second		
Shutter speed	AUTO (1/8000 - 1/30) ^{*5}		[6] AE line similar to sports mode		
Flash	No		[7] AF fixed using One-Shot AF		
SHOOTING			[8] Maximum recording time is 9 min. 59 sec. at one time. During Wi-Fi connection movie recording is not possible.		
Shooting mode	AUTO ^{*6}		[9] Charging whilst operating the camera is only possible with 18W (9V / 2A) or higher compatible devices. When shooting video or stills, power is only supplied to camera without charging the internal battery. Charging time with Canon PD-E1 is approx. 1 hour 50 mins.		
Self-timer	No		[10] USB-PD compatible		
Continuous shooting	Max. approx. 10 fps ^{*7}		[11] Movie recording is not possible during Wi-Fi connection.		
NUMBER OF RECORDING PIXELS			[12] Including built-in battery and memory card (Based on CIPA guidelines)		
Still image	4000 x 3000 (4:3)				
Movie	1920 x 1080 29.97/23.98 fps (NTSC), 25.00 fps (PAL) ^{*8}				

Canon

Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2020

EXPERIENCE THE MOMENT CATCH ALL THE DETAILS

PowerShot **ZOOM**

Get close with this palm-sized 12MP, Full HD camera. With one lens boasting 100mm and 400mm¹ plus a digitally extended 800mm, this tiny fully auto PowerShot is ideal for families who love outdoor adventures, wildlife and for casual birdwatchers.

Sales Start Date: November 2020 (TBD)



¹ Focal lengths mentioned are 35mm equivalents.

PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PowerShot ZOOM	4838C001AA	4549292179675

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
PowerShot ZOOM	4838C001AA	EA	Each	1	15.4	14.7	8.9	0.326
		CT	Carton	10	46.8	31.6	21.3	4.0
		EP	Euro Pallet	250	120	80	121.5	110
			Layers per Pallet	5				
			Cartons per Layer	5				
			Products per layer	50				

What's in the box?

- PowerShot ZOOM
- Interface cable
- Wrist Strap WS-800
- User Manual

Canon

Live for the story_

Canon

Live for the story_