

RF 400mm F2.8L IS USM

SUPER. TELEPHOTO

This professional super-telephoto lens is perfect for those shooting sports, wildlife and action on EOS R Series cameras. It delivers sensational performance, portability and image quality, and is built to exacting L Series standards in order to withstand the rigours of professional use – wherever you are.



- Outstanding image quality
- Fast focusing keeps you sharp
- Low light? No problem
- Instinctive handling
- Built to inspire confidence

PRODUCT RANGE



Canon RF 100-500mm
f/4.5-7.1 L IS USM



**Canon RF 400mm
F2.8L IS USM**



Canon EF 400mm
f/2.8L IS III USM

Canon RF 100-500mm
f/4.5-7.1 L IS USM

**Canon RF 400mm
F2.8L IS USM**

Canon EF 400mm
f/2.8L IS III USM

Canon RF 600mm
F4L IS USM

Live for the story_

TECHNICAL SPECIFICATIONS

RF 400mm F2.8L IS USM

OPTICAL FEATURES/ SPECIFICATIONS

Image size	Full Frame
Angle of view (horzntl, vertl, diagnl)	5°10', 3°30', 6°10'
Lens construction (elements/groups)	17/13
Special optics	2x Fluorite, 1X SUD
No. of diaphragm blades	9
Minimum aperture	32
Closest focussing distance (m)	2.5
Maximum magnification (x)	0.17
Control ring	No
Image stabilizer OIS	5.5
Image stabilizer	5.5
IBIS x OIS	
AF actuator	Ring USM
Coatings	ASC, Super Spectra
Fluorine	Front / Rear
PHYSICAL SPECIFICATIONS	
Dust/moisture resistance	Yes
Exterior coating	Heat Shield
Filter diameter (mm)	52 Drop in
Max. diameter x length (mm)	163 x 367
Weight (g)	2890

ACCESSORIES

Lens Cap	E-180E
Lens hood	ET-155(WIII)
Lens case/pouch	Lens Soft case LS400
Rear Cap	Lens Dust Cap RF
Extender Compatibility	Compatible with RF 1.4x & RF 2x Extenders only
Other Accessories	Canon drop-in 52mm filters Canon Drop-In Circular Polarizing Filter 52 (WIII) Canon Lens Short Hood ET-155B

SPECIFICATIONS

1.4X EXTENDER	
Focal Length	560
Maximum Aperture	4-4.5
Maximum Magnification	0.25
AF Possible	Yes
IS	Yes

SPECIFICATIONS 2X EXTENDER

Focal Length	800
Maximum Aperture	5.6-6.4
Maximum Magnification	0.36
AF Possible	yes
IS	yes

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2021

Live for the story_

SUPER. TELEPHOTO

RF 400mm F2.8L IS USM

This professional super-telephoto lens is perfect for those shooting sports, wildlife and action on EOS R Series cameras. It delivers sensational performance, portability and image quality, and is built to exacting L Series standards in order to withstand the rigours of professional use – wherever you are.

Sales Start Date: June 2021 TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 400mm F2.8L IS USM	5053C005AA	4549292184440

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
Lens Hood ET-155 WIII (bundled)	3047C001AA	4549292118551
Lens Short Hood ET-155B (sold separately)	3053C001AA	4549292118568
Lens Cap E-180E(bundled)	3048C001AA	4549292118575
Lens Dust Cap RF	2962C001AA	4549292115604
Lens Soft Case LS400 (bundled)	3046C001AA	4549292118537
Drop-In Screw Filter Holder 52 (WIII) With 52mm Protectfilter (bundled)	2612A001AA	4960999431000
Lens Drop-In Gelatin Filter Holder 52 WIII	3051C001AA	4549292118605
Lens Drop-In Circular Polarizing Filter 52 WIII	3050C001AA	4549292118599
Lens Extender RF1.4x	4113C005AA	4549292168044
Lens Extender RF2x	4114C005AA	4549292168051
Lens Wide Strap B	4771B001AA	4960999677859

Live for the story_

SUPER. TELEPHOTO

RF 400mm F2.8L IS USM

This professional super-telephoto lens is perfect for those shooting sports, wildlife and action on EOS R Series cameras. It delivers sensational performance, portability and image quality, and is built to exacting L Series standards in order to withstand the rigours of professional use – wherever you are.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 400mm F2.8L IS USM	5053C005AA	EA	Each	1	49.1	28.6	26.7	5.508
		CT	Carton	1	60.2	40.2	39.7	6.87
		EP	Euro Pallet	TBC	120	80	TBC	TBC
			Layers per Pallet	TBC				
			Cartons per Layer	TBC				
			Products per layer	TBC				

What's in the box?

- RF 400mm F2.8L IS USM
- Lens Dust Cap RF
- Drop-In Screw Filter Holder 52 (WIII)
With 52mm Protect filter
- Lens Cap E-180E
- Lens Hood ET-155 (WIII)
- Lens Soft Case LS400
- Lens Wide Strap B
- User Manual

Live for the story_