

# RF 1200mm F8L IS USM

# EXTRAORDINARY POWER. INCREDIBLE DETAIL

The RF 1200mm F8L IS USM sits right at the top of Canon's expanding RF lens range and represent the pinnacle of super-telephoto performance. A lens like no other since the Canon EF1200mm f.5.6L USM some 29 years ago.



- Maximum reach, maximum quality
- Surprisingly practical, with mind-blowing results
- Tough and responsive, for any assignment
- Built for the EOS R-series
- Customisable control with real usability

## PRODUCT RANGE



RF 600mm F4L IS USM



RF 800mm F5.6L IS USM



RF 1200mm F8L IS USM

RF 400mm F2.8L IS USM  
RF 600mm F4L IS USM  
RF 800mm F5.6L IS USM  
**RF 1200mm F8L IS USM**

**Canon**

Live for the story\_

# TECHNICAL SPECIFICATIONS

# RF 1200mm F8L IS USM

## OPTICAL FEATURES / SPECIFICATIONS

Image size	Full Frame
Angle of view (horzntl, vertl, diagnl)	01°45', 01°10', 02°05'
Lens Construction (Elements/Groups)	26/18
Special Optics	2x Fluorite, 1X SUD, 1x UD
No. of diaphragm blades	9
Minimum Aperture	64
Closest Focusing Distance (m)	4.3
Maximum Magnification (x)	0.29
Control Ring	via Focus ring
Image Stabilizer OIS <sup>1</sup>	4
Image Stabilizer IBIS x OIS <sup>1</sup>	4
AF Actuator	Ring USM
Coatings	ASC, Super Spectra
Fluorine	Front

## PHYSICAL SPECIFICATIONS

Dust/moisture resistance <sup>2</sup>	Yes
Exterior coating	Heat Shield
Filter diameter (mm)	52
Max. diameter x length (mm)	168 x 537
Weight (g)	3340

## ACCESSORIES

Lens Cap	E-185C
Lens Hood	ET-160 (WIII)
Lens Case/Pouch	Lens Soft Case LS1200
Rear cap	Lens Dust Cap RF
Extender Compatibility	Compatible with RF Extender only
Other Accessories	Canon drop-in 52mm filters Canon Drop-In Circular Polarizing Filter 52 (WIII) Canon Lens Short Hood ET-160B

## SPECIFICATIONS 1.4X EXTENDER

Focal Length	1680
Maximum Aperture	11-9.1
Maximum Magnification	0.41x
AF Possible	Yes
IS	Yes

## SPECIFICATIONS 2X EXTENDER

Focal Length	2400
Maximum Aperture	16-9.1
Maximum Magnification	0.60x
AF Possible	Yes
IS	Yes

## Footnote:

<sup>1</sup> Tested under CIPA standards

<sup>2</sup> Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way effects either the lens or camera performance.

Live for the story\_

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2021

# EXTRAORDINARY POWER. INCREDIBLE DETAIL

# RF 1200mm F8L IS USM

The RF 1200mm F8L IS USM sits right at the top of Canon's expanding RF lens range and represent the pinnacle of super-telephoto performance. A lens like no other since the Canon EF1200mm f.5.6L USM some 29 years ago.

Sales Start Date: April 2022 TBC



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 1200mm F8L IS USM EU26	5056C005AA	4549292184471

#### COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
LENS CAP E-185C (bundled)	3332C001AA	4549292136953
LENS HOOD ET-160(WIII) (bundled)	3331C001AA	4549292136746
LENS HOOD ET-160B (sold separately)	3334C001AA	4549292136777
Lens Dust Cap RF	2962C001AA	4549292115604
Drop-In Screw Filter Holder 52 (WIII) With 52mm Protectfilter (bundled)	2612A001AA	4960999431000
Lens Drop-In Gelatin Filter Holder 52 WIII	3051C001AA	4549292118605
Lens Drop-In Circular Polarizing Filter 52 WIII	3050C001AA	4549292118599
LENS EXTENDER RF1.4x	4113C005AA	4549292168044
LENS EXTENDER RF2x	4114C005AA	4549292168051
Lens Wide Strap B (bundled)	4771B001AA	4960999677859

Live for the story\_

# EXTRAORDINARY POWER. INCREDIBLE DETAIL

# RF 1200mm F8L IS USM

The RF 1200mm F8L IS USM sits right at the top of Canon's expanding RF lens range and represent the pinnacle of super-telephoto performance. A lens like no other since the Canon EF1200mm f.5.6L USM some 29 years ago.



#### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 1200mm F8L IS USM EU26	5056C005AA	EA	Each	1	77.8	40.2	39.7	8.09
		CT	Carton	1	77.8	40.2	39.7	8.09
		EP	Euro Pallet	4	120	80	94.4	42.4
			Layers per Pallet	2				
			Cartons per Layer	2				
			Products per layer	2				

#### What's in the box?

- RF 1200mm F8L IS USM
- Lens Dust Cap RF
- Drop-In Screw Filter Holder 52 (WIII)  
With 52mm Protectfilter
- LENS CAP E-185C
- LENS HOOD ET-160(WIII)
- LENS SOFT CASE LS1200 <sup>[NEW]</sup>
- Lens Wide Strap B
- User Manual

**Canon**

Live for the story\_