

RF 24mm F1.8 MACRO IS STM

SHARP, LIGHT, WIDE

This small, light 24mm prime lens combines wide-angle with a fast aperture for shooting creatively, even in low light. And with a 5-stop Optical Image Stabilizer¹ plus quiet auto focus it's great for smooth, high-quality video, too.



- Wide-angle images with great clarity
- Fast and bright, great in low light
- Super smooth, super steady
- Focus quickly and quietly for sharp shots and clear audio
- Get close-up, and show the whole scene
- Intuitive control at your fingertips

PRODUCT RANGE



RF 16mm F2.8 STM

RF 16mm F2.8 STM

RF 24mm F1.8 MACRO IS STM

RF 35mm F1.8 MACRO IS STM

RF 50mm F1.8 STM

RF 85mm F2 MACRO IS STM



RF 24mm F1.8 MACRO IS STM



RF 35mm F1.8 MACRO IS STM

Canon

Live for the story_

¹Up to 6.5-stops when using an EOS R series body which features In-Body Image Stabilizer. Both Optical and Combined IS are measured based on CIPA standards.

TECHNICAL SPECIFICATIONS

RF 24mm F1.8 MACRO IS STM

OPTICAL FEATURES/SPECIFICATIONS

Image size	Full Frame
Angle of view (horzntl, vertl, diagonl)	74°, 53°, 84°
Lens construction (elements/groups)	11/9
Special optics	1x PMo Aspherical , 1x UD 9
No. of diaphragm blades	9
Minimum aperture	22
Closest focusing distance (m)	0.14
Maximum magnification (x)	0.5
Control Ring	Yes
Image stabilizer OIS ¹	5
Image stabilizer IBIS x OIS ¹	6.5
AF actuator	STM
Coatings	Super Spectra
Fluorine	No

PHYSICAL SPECIFICATIONS

Dust/moisture resistance	No
Exterior coating	-
Filter diameter (mm)	52
Max. diameter x length (mm) ²	74.4x 63.1
Weight (g)	270

ACCESSORIES

Lens cap	E-52 II
Lens hood	EW-65B
Lens case/pouch	LP1016
Rear cap	Lens Dust Cap RF
Extender Compatibility	Not Compatible

Footnote:

¹ Tested under CIPA standards

² Lens dimensions when in retracted state



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2022

Live for the story_

SHARP, LIGHT, WIDE RF 24mm F1.8 MACRO IS STM

This small, light 24mm prime lens combines wide-angle with a fast aperture for shooting creatively, even in low light. And with a 5-stop Optical Image Stabilizer¹ plus quiet auto focus it's great for smooth, high-quality video, too.

Sales Start Date : August 2022 (TBD)



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 24mm F1.8 MACRO IS STM	5668C005AA	4549292207309

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
Lens hood EW-65B	5186B001AA	4960999780689
Lens cap E-52 II centre pinch type (included)	6315B001AA	4960999845852
Lens dust cap RF (included)	2962C001AA	4549292115604
Lens case LP1016	2782A003CA	4960999470771
Close-up lenses (52mm) (250D)	2819A001AA	4960999543307
Close-up lenses (52mm) (500D)	2821A001AA	4960999543321

Canon

Live for the story_

SHARP, LIGHT, WIDE RF 24mm F1.8 MACRO IS STM

This small, light 24mm prime lens combines wide-angle with a fast aperture for shooting creatively, even in low light. And with a 5-stop Optical Image Stabilizer¹ plus quiet auto focus it's great for smooth, high-quality video, too.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 24mm F1.8 MACRO IS STM	5668C005AA	EA	Each	1	12.2	12.2	18.3	0.4355
		CT	Carton	6	38.6	26.3	23.7	3.34
		EP	Euro Pallet	180	120	80	131.5	118.8
			Layers per Pallet	5				
			Cartons per Layer	6				
			Products per layer	36				

What's in the box?

- RF 24mm F1.8 MACRO IS STM
- LENS CAP E-52II
- LENS DUST CAP RF
- RF Lenses Printed Matter Unit For EUR
- User Manual Kit

Canon

Live for the story_