

## **External Blu-ray Writer**USB 3.2 GEN 1





Up to 100GB



**USB 3.2 GEN 1** 



M-DISC archival technology



Nero Burn and Archive software

### Keep your data safe

Discs are fast becoming the most reliable media to archive your data on. Unfortunately, more and more notebook vendors choose to leave the optical drive out of their notebooks in favour of slim designs.

Verbatim has the solution with the Blu-ray Writer with its super slim, brushed metal enclosure, ideally suited for use with a notebook or ultrabook.

Use it to create a back-up of all the important files that you don't want to lose, family pictures, videos, accounting documents, and more.

The bundled Nero Burn and Archive software, featuring DiscSpan, MediaHome, and SecureDisc Technology, simplifies organization, burning, and archiving.



# **External Blu-ray Writer**USB 3.2 GEN 1

General Information		
Material	Brushed aluminium	
Colour	Black	
Interface	USB 3.2 GEN 1	
Data Transfer rate	1.5Gbits/sec	
Data Buffer	4MB	
Maximum Read Speed	BD: 6x / BDXL: 4x / DVD: 8x / CD: 24x	
Maximum Write Speed	BD-R: 6x / BD-R DL 6x / BD-R XL: 4x / BD-RE: 2x DVD+R/-R: 8x / DVD+R/-R DL: 6x / DVD-RW: 6x / DVD+RW: 8x CD-R: 24x / CD-RW: 16x	
Media Compatibility	Supports 12cm (standard) and 8cm (mini) CD, DVD and Blu-ray discs.	
Supported Media (Write)	BD-R / BD-RE / BD-R DL / BD-RE DL / BDXL / DVD+R / DVD+R Double Layer (DVD+R DL), DVD+RW, DVD-R, DVD-R Dual Layer (DVD-R DL), DVD-RW, CD-R and CD-RW discs	
Error writing prevention	Includes Buffer Underrun Prevention Technology	
Disc loading	Tray mechanism	
Power	Powered by computer through USB port Via USB Y cable or extra external power supply	
Bundled Software	Nero Burn and Archive (Windows only)	
Reliability		
MTBF (Mean time Before Failure)	60,000 POH Used in a normal office envirnment st room temperature. POH per year: 3,000; ON/OFF cycles per year: 480; Operating duty cycle: 10% of Power on time (Seek: 10% of operation time)	
Tray cycle test	10,000 times tray open/close cycle test	
Actuator mechanism	1,000,000 full stroke seek	
MTTR (Mean Time to Repair)	0.5 h	
Component life	5 Years or 2,000 of Laser radion time Used in a normal office envirnment	



## **External Blu-ray Writer**USB 3.2 GEN 1



PN	Description	Bar Code	EAN128 Code	EAN14 Code
43890	Verbatim External Slimline Blu-ray Writer USB 3.2 GEN 1	023942438908	(02)00023942438908(37)04(91)221	50023942438903

Logistic Information	
Product Dimensions W x H x D (mm)	145 x 133 x 11mm
Product Weight (grams)	215 grams
Units per Pack	1
Pack Dimensions W x H x D (mm)	246 x 179 x 46mm
Pack Weight (grams)	414 grams (approx)
Packs per Master Carton	4
Master Carton Dimensions W x H x D (mm)	262 x 206 x 210mm
Master Cartons per Layer	12
Layers per Pallet	5
Units per Pallet	240

#### **System Requirements:**

- PC: Intel Pentium III / AMD Duron 900MHz or higher, 512MB RAM or higher, available USB port, Windows 8/10/11
- Mac: Intel Mac, 512MB RAM or higher, available USB port, Mac OS x 10.6 or higher

#### **Pack Contents:**

- Blu-ray Writer
- USB-C<sup>™</sup> to USB-A Cable
- USB-A to USB-C™ Adapter
- Nero Burn & Archive Software on CD
- Manual on CD
- Quick Installation Guide
- Includes a FREE 25GB Verbatim Blu-ray disc